

Economy, Skills and Environment  
9–10 The Churchyard, Shire Hall  
Bury St Edmunds  
Suffolk  
IP33 1RX

## Brief for a Trenched Archaeological Evaluation

AT

Highfields, Ixworth Road,  
Norton

**PLANNING AUTHORITY:** Mid Suffolk District Council

**PLANNING APPLICATION NUMBER:** 2462/14

**HER NO. FOR THIS PROJECT:** To be arranged

**GRID REFERENCE:** TL 956 661

**DEVELOPMENT PROPOSAL:** 1 dwelling

**CURRENT LAND USE:** Garden

**THIS BRIEF ISSUED BY:** Rachael Abraham  
Archaeological Officer  
Conservation Team  
Tel. : 01284 741232  
E-mail: rachael.abraham@suffolk.gov.uk

**Date:** 9 March 2015

### Summary

1.1 Planning permission has been granted with the following conditions relating to archaeological investigation:

14. No development shall take place within the area indicated [the whole site] until the implementation of a programme of archaeological work has been secured, in accordance with a Written Scheme of Investigation which has been submitted to and approved in writing by the Local Planning Authority.

The scheme of investigation shall include an assessment of significance and research questions; and:

- a. The programme and methodology of site investigation and recording
- b. The programme for post investigation assessment
- c. Provision to be made for analysis of the site investigation and recording
- d. Provision to be made for publication and dissemination of the analysis and records of the site investigation

- e. Provision to be made for archive deposition of the analysis and records of the site investigation
- f. Nomination of a competent person or persons/organisation to undertake the works set out within the Written Scheme of Investigation.
- g. The site investigation shall be completed prior to development, or in such other phased arrangement, as agreed and approved in writing by the Local Planning Authority.

15. No building shall be occupied until the site investigation and post investigation assessment has been completed, submitted to and approved in writing by the Local Planning Authority, in accordance with the programme set out in the Written Scheme of Investigation approved under part 1 and the provision made for analysis, publication and dissemination of results and archive deposition.

- 1.2 The archaeological contractor must send a copy of their Written Scheme of Investigation (WSI) or Method Statement, based upon this brief of minimum requirements (and in conjunction with our standard Requirements for a Trenched Evaluation 2011 Ver. 1.3), to the Conservation Team of Suffolk County Council's Archaeological Service (SCCAS/CT) for scrutiny; SCCAS/CT is the advisory body to the LPA on archaeological issues.
- 1.3 The WSI should be approved before costs are agreed with the commissioning client, in line with Institute for Archaeologists' guidance. Failure to do so could result in additional and unanticipated costs.
- 1.4 Following acceptance, the applicant should submit the WSI to the LPA for formal approval; failure to do so could result in enforcement action by the LPA.
- 1.5 The WSI will *provide the basis for measurable standards* and will be used to establish whether the requirements of the planning condition will be adequately met. If the approved WSI is not carried through in its entirety (particularly in the instance of trenching being incomplete) the evaluation report may be rejected.

### **Archaeological Background**

- 2.1 This application lies in an area of archaeological importance, recorded in the County Historic Environment Record, on the edge of a medieval green. The proposed development site is also situated adjacent to the line of a Roman road (NRN 008). As a result, there is high potential for encountering early occupation deposits at this location.

### **Planning Background**

- 3.1 There is potential for archaeological deposits to be disturbed by this development. The proposed works would cause significant ground disturbance that has potential to damage any archaeological deposit that exists.
- 3.2 The Planning Authority has been advised that any consent should be conditional upon an agreed programme of work taking place before development begins in accordance with the *National Planning Policy Framework* (Paragraph 141), to record and advance understanding of the significance of any heritage assets (that might be present at this location) before they are damaged or destroyed.

## **Fieldwork Requirements for Archaeological Investigation**

- 4.1 A linear trenched evaluation is required of the development area to enable the archaeological resource, both in quality and extent, to be accurately quantified.
- 4.2 Trial Trenching is required to:
  - Identify the date, approximate form and purpose of any archaeological deposit, together with its likely extent, localised depth and quality of preservation.
  - Evaluate the likely impact of past land uses, and the possible presence of masking colluvial/alluvial deposits.
  - Establish the potential for the survival of environmental evidence.
  - Provide sufficient information to construct an archaeological conservation strategy, dealing with preservation, the recording of archaeological deposits, working practices, timetables and orders of cost.
- 4.3 Further evaluation could be required if unusual deposits or other archaeological finds of significance are recovered; if so, this would be the subject of an additional brief.
- 4.4 15m of trial trenching covering the footprint of the proposed new dwelling is to be excavated. The trench should be 1.8m wide.
- 4.5 A scale plan showing the proposed location of the trial trench should be included in the WSI and the detailed trench design must be approved by SCCAS/CT before fieldwork begins.

## **Arrangements for Archaeological Investigation**

- 5.1 The composition of the archaeological contractor's staff must be detailed and agreed by SCCAS/CT, including any subcontractors/specialists. Ceramic specialists, in particular, must have relevant experience from this region, including knowledge of local ceramic sequences.
- 5.2 All arrangements for the evaluation of the site, the timing of the work and access to the site, are to be defined and negotiated by the archaeological contractor with the commissioning body.
- 5.3 The project manager must also carry out a risk assessment and ensure that all potential risks are minimised, before commencing the fieldwork. The responsibility for identifying any constraints on fieldwork (e.g. designated status, public utilities or other services, tree preservation orders, SSSIs, wildlife sites and other ecological considerations rests with the commissioning body and its archaeological contractor.

## **Reporting and Archival Requirements**

- 6.1 The project manager must consult the Suffolk HER Officer to obtain an event number for the work. This number will be unique for each project or site and must be clearly marked on all documentation relating to the work.
- 6.2 An archive of all records and finds is to be prepared and must be adequate to perform the function of a final archive for deposition in the Archaeological Service's Store or in a suitable museum in Suffolk.

- 6.3 It is expected that the landowner will deposit the full site archive, and transfer title to, the Archaeological Service or the designated Suffolk museum, and this should be agreed before the fieldwork commences. The intended depository should be stated in the WSI, for approval.
- 6.4 The project manager should consult the intended archive depository before the archive is prepared regarding the specific requirements for the archive deposition and curation (including the digital archive), and regarding any specific cost implications of deposition.
- 6.5 A report on the fieldwork and archive must be provided. Its conclusions must include a clear statement of the archaeological value of the results, and their significance. The results should be related to the relevant known archaeological information held in the Suffolk HER.
- 6.6 An opinion as to the necessity for further evaluation and its scope may be given, although the final decision lies with SCCAS/CT. No further site work should be embarked upon until the evaluation results are assessed and the need for further work is established.
- 6.7 Following approval of the report by SCCAS/CT, a single copy of the report should be presented to the Suffolk HER as well as a digital copy of the approved report.
- 6.8 All parts of the OASIS online form <http://ads.ahds.ac.uk/project/oasis/> must be completed and a copy must be included in the final report and also with the site archive. A digital copy of the report should be uploaded to the OASIS website.
- 6.9 Where positive results are drawn from a project, a summary report must be prepared for the *Proceedings of the Suffolk Institute of Archaeology and History*.
- 6.10 This brief remains valid for 12 months. If work is not carried out in full within that time this document will lapse; the brief may need to be revised and re-issued to take account of new discoveries, changes in policy and techniques.

## **Standards and Guidance**

Further detailed requirements are to be found in our Requirements for Trenched Archaeological Evaluation 2011 Ver 1.2.

Standards, information and advice to supplement this brief are to be found in *Standards for Field Archaeology in the East of England*, East Anglian Archaeology Occasional Papers 14, 2003.

The Institute for Archaeologists' *Standard and Guidance for archaeological field evaluation* (revised 2001) should be used for additional guidance in the execution of the project and in drawing up the report.

## **Notes**

The Institute for Archaeologists maintains a list of registered archaeological contractors ([www.archaeologists.net](http://www.archaeologists.net) or 0118 378 6446). There are a number of archaeological contractors that regularly undertake work in the County and SCCAS will provide advice on request. SCCAS/CT does not give advice on the costs of archaeological projects.